

WORKTABLES

STAINLESS STEEL WORK TABLE WITH STAINLESS STEEL LEGS AND UNDERSHELF




Model	W	D	H	Max Load (top)	Max Load (bottom)
DSST-2424-SS	24"	24"	34"	330 lbs	110 lbs
DSST-2430-SS	30"	24"	34"	396 lbs	132 lbs
DSST-2436-SS	36"	24"	34"	396 lbs	132 lbs
DSST-2448-SS	48"	24"	34"	396 lbs	110 lbs
DSST-2460-SS	60"	24"	34"	375 lbs	110 lbs
DSST-2472-SS	72"	24"	34"	330 lbs	110 lbs
DSST-2484-SS	84"	24"	34"	396 lbs	132 lbs
DSST-2496-SS	96"	24"	34"	396 lbs	132 lbs
DSST-3012-SS	12"	30"	34"	265 lbs	88 lbs
DSST-3015-SS	15"	30"	34"	265 lbs	88 lbs
DSST-3018-SS	18"	30"	34"	265 lbs	88 lbs
DSST-3024-SS	24"	30"	34"	330 lbs	110 lbs
DSST-3030-SS	30"	30"	34"	396 lbs	132 lbs
DSST-3036-SS	36"	30"	34"	396 lbs	132 lbs
DSST-3048-SS	48"	30"	34"	396 lbs	132 lbs
DSST-3060-SS	60"	30"	34"	375 lbs	110 lbs
DSST-3072-SS	72"	30"	34"	330 lbs	110 lbs
DSST-3084-SS	84"	30"	34"	396 lbs	132 lbs
DSST-3096-SS	96"	30"	34"	396 lbs	132 lbs

STANDARD FEATURES

- Made with 18 gauge, 430 stainless steel
- Stainless steel legs, undershelf, and bulletfeet
- Easy to assemble
- Stronger and welded corners

OPTIONAL ACCESSORIES



Model	W	D	H*	Max Load (top)	Max Load (bottom)
DSST-2424-BKSS	24"	24"	34"	330 lbs	110 lbs
DSST-2430-BKSS	30"	24"	34"	396 lbs	132 lbs
DSST-2436-BKSS	36"	24"	34"	396 lbs	132 lbs
DSST-2448-BKSS	48"	24"	34"	396 lbs	132 lbs
DSST-2460-BKSS	60"	24"	34"	375 lbs	110 lbs
DSST-2472-BKSS	72"	24"	34"	330 lbs	110 lbs
DSST-2484-BKSS	84"	24"	34"	396 lbs	132 lbs
DSST-2496-BKSS	96"	24"	34"	396 lbs	132 lbs
DSST-3024-BKSS	24"	30"	34"	330 lbs	110 lbs
DSST-3030-BKSS	30"	30"	34"	396 lbs	132 lbs
DSST-3036-BKSS	36"	30"	34"	396 lbs	132 lbs
DSST-3048-BKSS	48"	30"	34"	396 lbs	132 lbs
DSST-3060-BKSS	60"	30"	34"	375 lbs	110 lbs
DSST-3072-BKSS	72"	30"	34"	330 lbs	110 lbs
DSST-3084-BKSS	84"	30"	34"	396 lbs	132 lbs
DSST-3096-BKSS	96"	30"	34"	396 lbs	132 lbs

SS WORK TABLE WITH 5" BACKSPASH & STAINLESS STEEL UNDERSHELF AND LEGS



STANDARD FEATURES

- Made with 18 gauge, 430 stainless steel
- Stainless steel legs, undershelf, and bulletfeet
- Easy to assemble
- Stronger and welded corners

*Height excludes 5" backsplash

STAINLESS STEEL WORK TABLE TOP WITH GALVANIZED STEEL LEGS AND UNDERSHELF



STANDARD FEATURES



- Made with 18 gauge, 430 stainless steel (top)
- Galvanized steel legs and adjustable undershelf
- Easy to assemble
- Stronger and welded corners
- Hat channel on the bottom

Model	W	D	H	Max Load (top)	Max Load (bottom)
DSST-2424-GS	24"	24"	34"	330 lbs	110 lbs
DSST-2430-GS	30"	24"	34"	400 lbs	132 lbs
DSST-2436-GS	36"	24"	34"	400 lbs	132 lbs
DSST-2448-GS	48"	24"	34"	400 lbs	132 lbs
DSST-2460-GS	60"	24"	34"	375 lbs	110 lbs
DSST-2472-GS	72"	24"	34"	375 lbs	110 lbs
DSST-2484-GS	84"	24"	34"	400 lbs	132 lbs
DSST-2496-GS	96"	24"	34"	400 lbs	132 lbs
DSST-3012-GS	12"	30"	34"	265 lbs	100 lbs
DSST-3015-GS	15"	30"	34"	265 lbs	100 lbs
DSST-3018-GS	18"	30"	34"	265 lbs	100 lbs
DSST-3024-GS	24"	30"	34"	300 lbs	132 lbs
DSST-3030-GS	30"	30"	34"	375 lbs	132 lbs
DSST-3036-GS	36"	30"	34"	400 lbs	132 lbs
DSST-3048-GS	48"	30"	34"	400 lbs	132 lbs
DSST-3060-GS	60"	30"	34"	400 lbs	132 lbs
DSST-3072-GS	72"	30"	34"	375 lbs	110 lbs
DSST-3084-GS	84"	30"	34"	400 lbs	132 lbs
DSST-3096-GS	96"	30"	34"	400 lbs	132 lbs

Model	W	D	H*	Max Load (top)	Max Load (bottom)
DSST-2424-BK	24"	24"	34"	330 lbs	110 lbs
DSST-2430-BK	30"	24"	34"	400 lbs	132 lbs
DSST-2436-BK	36"	24"	34"	400 lbs	132 lbs
DSST-2448-BK	48"	24"	34"	400 lbs	132 lbs
DSST-2460-BK	60"	24"	34"	375 lbs	110 lbs
DSST-2472-BK	72"	24"	34"	375 lbs	110 lbs
DSST-2484-BK	84"	24"	34"	400 lbs	132 lbs
DSST-2496-BK	96"	24"	34"	400 lbs	132 lbs
DSST-3024-BK	24"	30"	34"	300 lbs	132 lbs
DSST-3030-BK	30"	30"	34"	375 lbs	132 lbs
DSST-3036-BK	36"	30"	34"	400 lbs	132 lbs
DSST-3048-BK	48"	30"	34"	400 lbs	132 lbs
DSST-3060-BK	60"	30"	34"	400 lbs	132 lbs
DSST-3072-BK	72"	30"	34"	375 lbs	110 lbs
DSST-3084-BK	84"	30"	34"	400 lbs	132 lbs
DSST-3096-BK	96"	30"	34"	400 lbs	132 lbs

*Height excludes 5" backsplash

OPTIONAL ACCESSORIES



STAINLESS WORK TABLE TOP WITH 5" BACKSPLASH & GALVANIZED STEEL LEGS AND UNDERSHELF



STANDARD FEATURES

- Made with 18 gauge, 430 stainless steel (top)
- Galvanized steel legs and adjustable undershelf
- Easy to assemble
- Stronger and welded corners
- Hat channel on the bottom

WORKTABLES

STAINLESS STEEL CORNER WORK TABLE

Model	W	D	H	Max Load (top)	Max Load (bottom)
TCWT-2424-BKSS	32"	32"	34"	330 lbs	110 lbs
TCWT-3030-BKSS	38"	38"	34"	330 lbs	110 lbs

*Height excludes 5" backsplash



STANDARD FEATURES

- Made with 18 gauge, 430 stainless steel
- Has a 5" backsplash
- Comes with matching undershelf
- Easy to assemble
- Designed to match **DSST-2424/3030-BKSS**

STAINLESS STEEL WORK TABLE WITH POLYTOP


**SPECIAL ORDER ITEM – CONTACT A REPRESENTATIVE



Model	W	D	H	Max Load (top)	Max Load (bottom)
DSST-3036-PT	36"	30"	34"	400 lbs	132 lbs
DSST-3048-PT	48"	30"	34"	400 lbs	132 lbs
DSST-3060-PT	60"	30"	34"	400 lbs	132 lbs
DSST-3072-PT	72"	30"	34"	375 lbs	110 lbs

STANDARD FEATURES

- Made with 18 gauge, 430 stainless steel
- Undershelf for better stability
- Easy to assemble
- Cutting boards available in 0.75" and 1" thickness



POLYTOP CUTTING BOARDS

Model	W	D	Thickness	Model	W	D	Thickness
TCB-3036-19	36"	30"	0.75"	TCB-3036-25	36"	30"	1"
TCB-3048-19	48"	30"	0.75"	TCB-3048-25	48"	30"	1"
TCB-3060-19	60"	30"	0.75"	TCB-3060-25	60"	30"	1"
TCB-3072-19	72"	30"	0.75"	TCB-3072-25	72"	30"	1"

DID YOU KNOW?

Cutting boards should be washed and disinfected after each use. Simply cleaning with warm water and soap will not kill bacteria. To disinfect, you must use commercial-grade disinfectant or put the cutting boards in the dishwasher. Once the cutting boards have been thoroughly cleaned and disinfected, store them upright, not piled on top of each other.

WORK TABLES

ADD-ONS

“PASS THRU” OVERSHELF WITH ADJUSTABLE MIDDLE SHELF



STANDARD FEATURES

- Made with 18 gauge, 430 stainless steel
- Easy to assemble
- Adjustable middle shelf
- Optional: additional shelf

Model	W	D	H	Max Load Top/Bottom
TDOS-1236-SS	36"	12"	28.5"	22 / 22 lbs
TDOS-1248-SS	48"	12"	28.5"	22 / 22 lbs
TDOS-1260-SS	60"	12"	28.5"	17 / 17 lbs
TDOS-1272-SS	72"	12"	28.5"	13 / 13 lbs
TDOS-1284-SS	84"	12"	28.5"	33 / 33 lbs
TDOS-1296-SS	96"	12"	28.5"	33 / 33 lbs
TDOS-1429-SS*	29"	14"	28.5"	22 / 22 lbs
TDOS-1436-SS	36"	14"	28.5"	22 / 22 lbs
TDOS-1448-SS	48"	14"	28.5"	22 / 22 lbs
TDOS-1460-SS	60"	14"	28.5"	17 / 17 lbs
TDOS-1472-SS	72"	14"	28.5"	13 / 13 lbs
TDOS-1484-SS	84"	14"	28.5"	33 / 33 lbs
TDOS-1496-SS	96"	14"	28.5"	33 / 33 lbs
TDOS-1636-SS	36"	16"	28.5"	22 / 22 lbs
TDOS-1648-SS	48"	16"	28.5"	22 / 22 lbs
TDOS-1660-SS	60"	16"	28.5"	17 / 17 lbs
TDOS-1672-SS	72"	16"	28.5"	13 / 13 lbs

*New! For NewAir's NPT-029-SA salad prep table

DID YOU KNOW?



Our standard TDOS is also compatible with a number of New Air products, such as the NUR under-counter refrigerators and NPT salad/sandwich prep tables



Model	W	D	H	Max Load Top/Bottom
TDOS-1444-SS	44"	14"	28.5"	22 / 22 lbs
TDOS-1470-SS	70"	14"	28.5"	17 / 17 lbs
TDOS-1490-SS	90"	14"	28.5"	13 / 13 lbs


OVERSHELF FOR **NEW AIR** PIZZA TABLES



NEW!

Now available, the new TDOS overshelf variant compatible with New Air's NPT-PI Pizza Prep Tables!

STAINLESS STEEL BRACES




Model	Description
DSST-2436-BSS	"U" shaped reinforcement bars for DSST-2436-SS
DSST-2448-BSS	"U" shaped reinforcement bars for DSST-2448-SS
DSST-2460-BSS	"U" shaped reinforcement bars for DSST-2460-SS
DSST-2472-BSS	"U" shaped reinforcement bars for DSST-2472-SS
DSST-2484-BSS	"U" shaped reinforcement bars for DSST-2484-SS
DSST-2496-BSS	"U" shaped reinforcement bars for DSST-2496-SS
DSST-3036-BSS	"U" shaped reinforcement bars for DSST-3036-SS
DSST-3048-BSS	"U" shaped reinforcement bars for DSST-3048-SS
DSST-3060-BSS	"U" shaped reinforcement bars for DSST-3060-SS
DSST-3072-BSS	"U" shaped reinforcement bars for DSST-3072-SS
DSST-3084-BSS	"U" shaped reinforcement bars for DSST-3084-SS
DSST-3096-BSS	"U" shaped reinforcement bars for DSST-3096-SS

TIP To get the proper bracer for your table, simply add a "B" to your chosen table's SKU: DSST-XXXX-**BSS**

Model	Description
-------	-------------

DSST-2436-BGS	"U" shaped reinforcement bars for DSST-2436-GS
DSST-2448-BGS	"U" shaped reinforcement bars for DSST-2448-GS
DSST-2460-BGS	"U" shaped reinforcement bars for DSST-2460-GS
DSST-2472-BGS	"U" shaped reinforcement bars for DSST-2472-GS
DSST-2484-BGS	"U" shaped reinforcement bars for DSST-2484-GS
DSST-2496-BGS	"U" shaped reinforcement bars for DSST-2496-GS
DSST-3036-BGS	"U" shaped reinforcement bars for DSST-3036-GS
DSST-3048-BGS	"U" shaped reinforcement bars for DSST-3048-GS
DSST-3060-BGS	"U" shaped reinforcement bars for DSST-3060-GS
DSST-3072-BGS	"U" shaped reinforcement bars for DSST-3072-GS
DSST-3084-BGS	"U" shaped reinforcement bars for DSST-3084-GS
DSST-3096-BGS	"U" shaped reinforcement bars for DSST-3096-GS

GALVANIZED STEEL BRACES



TIP To get the proper bracer for your table, simply add a "B" to your chosen table's SKU: DSST-DDWW-**BGS**

CASTERS FOR TABLES & EQUIPMENT STAND


Model	Description
DSST-CASTERS	single caster without brake
DSST-CASTERS-B	single caster with brake



FOR STAINLESS STEEL TABLES

Model	Description
DSST-LEGS-SS	Set of four 32" legs for a 34" table
DSST-LEGS36-SS	Set of four 34" legs for a 36" table
T-BULLETFEET-SS	Single bullet feet*

*included with legs standard



FOR GALVANIZED STEEL TABLES

Model	Description
DSST-LEGS-GS	Set of four 32" legs for a 34" table
DSST-LEGS36-GS	Set of four 34" legs for a 36" table
T-BULLETFEET-GS	Single bullet feet*

*included with legs standard



STAINLESS STEEL UNDERSHELF



TIP


Designed for SS & BKSS work tables

STANDARD FEATURES

- Made with high quality 18 gauge, 430 stainless steel
- Various sizes to fit your needs
- Stronger, welded corners

Model	W*	D*	Max Load
DUS-2424-SS	24"	24"	110 lbs
DUS-2430-SS	30"	24"	132 lbs
DUS-2436-SS	36"	24"	132 lbs
DUS-2448-SS	48"	24"	132 lbs
DUS-2460-SS	60"	24"	110 lbs
DUS-2472-SS	72"	24"	110 lbs
DUS-2484-SS	84"	24"	132 lbs
DUS-2496-SS	96"	24"	132 lbs
DUS-3012-SS	12"	30"	88 lbs
DUS-3015-SS	15"	30"	88 lbs
DUS-3018-SS	18"	30"	88 lbs
DUS-3024-SS	24"	30"	110 lbs
DUS-3030-SS	30"	30"	132 lbs
DUS-3036-SS	36"	30"	132 lbs
DUS-3048-SS	48"	30"	132 lbs
DUS-3060-SS	60"	30"	110 lbs
DUS-3072-SS	72"	30"	110 lbs
DUS-3084-SS	84"	30"	132 lbs
DUS-3096-SS	96"	30"	132 lbs

*Fits size of table

Model	W*	D*	Max Load	GALVANIZED STEEL UNDERSHELF
DUS-2424-GS	24"	24"	110 lbs	
DUS-2430-GS	30"	24"	132 lbs	
DUS-2436-GS	36"	24"	132 lbs	
DUS-2448-GS	48"	24"	132 lbs	
DUS-2460-GS	60"	24"	110 lbs	
DUS-2472-GS	72"	24"	110 lbs	
DUS-2484-GS	84"	24"	132 lbs	
DUS-2496-GS	96"	24"	132 lbs	
DUS-3012-GS	12"	30"	88 lbs	
DUS-3015-GS	15"	30"	88 lbs	
DUS-3018-GS	18"	30"	88 lbs	
DUS-3024-GS	24"	30"	110 lbs	
DUS-3030-GS	30"	30"	132 lbs	
DUS-3036-GS	36"	30"	132 lbs	
DUS-3048-GS	48"	30"	132 lbs	
DUS-3060-GS	60"	30"	110 lbs	
DUS-3072-GS	72"	30"	110 lbs	
DUS-3084-GS	84"	30"	132 lbs	
DUS-3096-GS	96"	30"	132 lbs	

TIP

Designed for GS and BK work tables
** Does not fit on Poly Top Tables

STANDARD FEATURES

- Made with galvanized steel
- Various sizes to fit your needs
- Reinforced, non-welded corners

*Fits size of table

DRAWER



SINGLE

Model	W*	D**	H	Max Load
TDRS-2418-SS	18"	24"	6.5"	22 lbs
TDRS-2424-SS	24"	24"	6.5"	22 lbs
TDRS-3018-SS	18"	30"	6.5"	22 lbs
TDRS-3024-SS	24"	30"	6.5"	22 lbs

*Drawer width without braces
 **Fits table depth of

DOUBLE

Model	W*	D**	H	Max Load
TDRD-2418-SS	18"	24"	11.5"	44 lbs
TDRD-2424-SS	18"	30"	11.5"	44 lbs

*Drawer width without braces
 **Fits table depth of



STANDARD FEATURES

- Heavy duty drawer brackets
- Made with 22 gauge, 430 stainless steel
- Easy to install

DID YOU KNOW?

Our universal drawers are designed to fit on our DSST stainless steel table, whether 24" & 30" deep.

However they are not suitable for equipment stands.

