

NEED MORE FRYING BASKETS?



FRYERS

Durable temperature probe senses temperature changes & activates quick burner response

Millivolt safety control system included

Temperature range 200-400°F

GAS POWERED

Natural **Source** Propane

4"WC **Pressure** 10"WC

39# **Nozzle** 52#

NG & LPG are different models



High flow 1^{1/4} full post drain valve with pipe included



Large cold zone with forward sloping bottom

2 baskets included -





FRYERS









40 LB FRYER

BFR-40

Ext. Dimensions $15_{\text{[w]}}^{1/2''} \times 32_{\text{[d]}}^{7/8''} \times 45_{\text{[h]}}''$

Oil Capacity 40 lbs

Frying Area $14'' \times 14''$

Burners 3

Single Burner 30,000 BTU/H

Combined 90,000 BTU/H

50 LB FRYER

BFR-50

Ext. Dimensions $15^{1/2''}_{[\text{w}]} \times 32^{7/8''}_{[\text{b}]} \times 45''_{[\text{H}]}$

Oil Capacity 50 lbs

Frying Area $14'' \times 14''$

Burners 4

Single Burner 30,000 BTU/H

Combined 120,000 BTU/H

70 LB FRYER

BFR-70

Ext. Dimensions $21_{[w]}^{"} \times 32_{[b]}^{7/8} \times 45_{[h]}^{"}$

Oil Capacity 70 lbs

Frying Area $19^{1/2}$ " $\times 14$ "

Burners 5

Single Burner 30,000 BTU/H

Combined 150,000 BTU/H