

DISPLAY CASES



UPRIGHT GLASS REFRIGERATED DISPLAY CASES

Ideal for restaurants, cafés, & bakeries



FEATURES

LED bright cold tone lighting in each corner for superior product display

Digital controller and LED display

Black brushed stainless steel exterior

Adjustable chrome wireshelves

Front hinged glass doors

Temperature range: 2 to 12°C

NUDC-21-SS

Exterior Unit Dimensions 20.5" (w) x 19.1" (d) x 73.2" (h)

Interior Dimensions 17" (w) x 14" (d) x 50.5" (h)

Capacity 250 L

Voltage 110 - 120 V / 60 Hz

Amperage / Plug Type 2.85 A / NEMA 5- 15P

NUDC-26-SS

Exterior Unit Dimensions 25.5" (w) x 25.5" (d) x 73.7" (h)

Interior Dimensions 22" (w) x 20" (d) x 50.5" (h)

Capacity 400 L

Voltage 110 - 120 V / 60 Hz

Amperage / Plug Type 3.1 A / NEMA 5- 15P



SQUARE GLASS REFRIGERATED DISPLAY CASES

Ideal for restaurants, cafés, & bakeries

Product Code: NDC-36-SG



FEATURES

Front heated anti-fog film to remove condensation

Black-brushed stainless steel

Height & angle can be adjusted for each glass shelf

Bright LED lighting under each shelf for superior product display

Rear digital temperature controller and LED display

Casters

Temperature range: 2 to 5°C





NDC-36-SG

Exterior Unit Dimensions 35.5" (w) x 29.25" (d) x 53.5" (h)

Interior Dimensions 30.5" (w) x 26.25" (d) x 31.5" (h)

Capacity 417 L & 14.7 CU. FT

Voltage 115 V / 60 Hz

Amperage / Plug Type 7.6 A / NEMA 5- 15P



NDC-48-SG

Exterior Unit Dimensions 47.25" (w) x 29.25" (d) x 53.5" (h)

Interior Dimensions 42.25" (w) x 26.25" (d) x 31.5" (h)

Capacity 542 L & 19.1 CU. FT

Voltage 115 V / 60 Hz

Amperage / Plug Type 8.3 A / NEMA 5- 15P



NDC-59-SG

Exterior Unit Dimensions 59" (w) x 29.25" (d) x 53.5" (h)

Interior Dimensions 54.25" (w) x 26.25" (d) x 31.5" (h)

Capacity 686 L & 24.2 CU. FT

Voltage 115 V / 60 Hz

Amperage / Plug Type 9.6 A / NEMA 5- 15P



NDC-71-SG

Exterior Unit Dimensions 71" (w) x 29.25" (d) x 53.5" (h)

Interior Dimensions 65.5" (w) x 26.25" (d) x 31.5" (h)

Capacity 830 L & 29.3 CU. FT

Voltage 115 V / 60 Hz

Amperage / Plug Type 10.3 A / NEMA 5- 15P



CURVED GLASS REFRIGERATED DISPLAY CASES

Ideal for restaurants, cafés, & bakeries

Product Code: NDC-36-CG



FEATURES

LED Lighting under each shelf for superior product display

Double tempered glass all around

Air ducts on 3 sides to remove condensation around glass

Rear sliding doors

Black-brushed stainless steel

2 adjustable glass shelves (angle & height)

Casters

Temperature range: 2 to 12°C



NDC-36-CG

Exterior Unit Dimensions 37" (w) x 27" (d) x 47.75" (h)

Interior Dimensions 34" (w) x 23" (d) x 25.5" (h)

Capacity 270 L & 9.53 CU. FT

Voltage 120 V / 60 Hz

Amperage / Plug Type 4.5 A / NEMA 5- 15P



NDC-48-CG

Exterior Unit Dimensions 48.75" (w) x 27" (d) x 47.5" (h)

Interior Dimensions 43.5" (w) x 23" (d) x 25.5" (h)

Capacity 370 L & 13.06 CU. FT

Voltage 120 V / 60 Hz

Amperage / Plug Type 4.5 A / NEMA 5- 15P



NDC-60-CG

Exterior Unit Dimensions 60.5" (w) x 27" (d) x 47.5" (h)

Interior Dimensions 55.25" (w) x 23" (d) x 25.5" (h)

Capacity 470 L & 16.59 CU. FT

Voltage 120 V / 60 Hz

Amperage / Plug Type 4.9 A / NEMA 5- 15P



NDC-72-CG

Exterior Unit Dimensions 72.5" (w) x 27" (d) x 47" (h)

Interior Dimensions 67" (w) x 23" (d) x 25.5" (h)

Capacity 570 L & 20.12 CU. FT

Voltage 120 V / 60 Hz

Amperage / Plug Type 4.9 A / NEMA 5- 15P

