

PREP TABLES



REFRIGERATED SALAD & SANDWICH PREP TABLES & MEGA TOPS

Ideal for restaurants, cafeterias & food processing spaces
 Product Code: NPT-048-SA & NPT-048-MSA



FEATURES



Clear plastic 1/6 pans included

Rear digital controller

14.5" deep cutting board included

Temperature range: 0.5 to 5 °C

Self-closing doors at 60° with stay open feature

Stainless steel interior and exterior


Back mounted compressor

Adjustable heavy duty shelves



14.5" deep cutting board included

9" deep cutting board included



REFRIGERATED SALAD & SANDWICH PREP TABLES



NPT-029-SA

Exterior Unit Dimensions 29.25" (w) x 31.5" (d) x 43.75" (h)


Interior Dimensions 25" (w) x 20" (d) x 23" (h)

Capacity 185.75 L & 6.56 CU. FT

Voltage 115 V / 60 Hz

Amperage / Plug Type 2.0 A / NEMA 5- 15P

Pan Capacity $\frac{1}{6}$ x 8



NPT-048-SA

Exterior Unit Dimensions 48.25" (w) x 31.5" (d) x 43.75" (h)


Interior Dimensions 44" (w) x 20" (d) x 23" (h)

Capacity 324.79 L & 11.47 CU. FT

Voltage 115 V / 60 Hz

Amperage / Plug Type 2.4 A / NEMA 5- 15P

Pan Capacity $\frac{1}{6}$ x 12



NPT-060-SA

Exterior Unit Dimensions 60.25" (w) x 31.5" (d) x 43.75" (h)


Interior Dimensions 57" (w) x 20" (d) x 23" (h)

Capacity 405.78 L & 14.33 CU. FT.

Voltage 115 V / 60 Hz

Amperage / Plug Type 2.4 A / NEMA 5- 15P

Pan Capacity $\frac{1}{6}$ x 8 + $\frac{1}{6}$ x 8



NPT-072-SA

Exterior Unit Dimensions 72.5" (w) x 31.5" (d) x 43.75" (h)


Interior Dimensions 68" (w) x 20" (d) x 23" (h)

Capacity 497.81 L & 17.58 CU. FT

Voltage 115 V / 60 Hz

Amperage / Plug Type 3.4 A / NEMA 5- 15P

Pan Capacity $\frac{1}{6}$ x 12 + $\frac{1}{6}$ x 8



REFRIGERATED SALAD & SANDWICH MEGA TOP PREP TABLES



NPT-029-MSA

Exterior Unit Dimensions 29.25" (w) x 31.5" (d) x 45.75" (h)

Interior Dimensions 25" (w) x 20" (d) x 23" (h)

Capacity 185.75 L & 6.56 CU. FT

Voltage 115 V / 60 Hz

Amperage / Plug Type 2.0 A / NEMA 5- 15P

Pan Capacity

1/6 x 12

1/6	1/6	1/6	1/6
1/6	1/6	1/6	1/6
1/6	1/6	1/6	1/6



NPT-048-MSA

Exterior Unit Dimensions 48.25" (w) x 31.5" (d) x 45.75" (h)

Interior Dimensions 44" (w) x 20" (d) x 23" (h)

Capacity 324.79 L & 11.47 CU. FT

Voltage 115 V / 60 Hz

Amperage / Plug Type 2.4 A / NEMA 5- 15P

Pan Capacity

1/6 x 18

1/6	1/6	1/6	1/6	1/6	1/6
1/6	1/6	1/6	1/6	1/6	1/6
1/6	1/6	1/6	1/6	1/6	1/6



NPT-060-MSA

Exterior Unit Dimensions 60.25" (w) x 31.5" (d) x 45.75" (h)

Interior Dimensions 57" (w) x 20" (d) x 23" (h)

Capacity 405 L & 14.33 CU. FT

Voltage 115 V / 60 Hz

Amperage / Plug Type 2.4 A / NEMA 5- 15P

Pan Capacity

1/6 x 12

1/6	1/6	1/6	1/6
1/6	1/6	1/6	1/6
1/6	1/6	1/6	1/6

1/6 x 12

1/6	1/6	1/6	1/6
1/6	1/6	1/6	1/6
1/6	1/6	1/6	1/6



NPT-072-MSA

Exterior Unit Dimensions 72.5" (w) x 31.5" (d) x 45.75" (h)

Interior Dimensions 68" (w) x 20" (d) x 23" (h)

Capacity 497.81 L & 17.58 CU. FT

Voltage 115 V / 60 Hz

Amperage / Plug Type 3.4 A / NEMA 5- 15P

Pan Capacity

1/6 x 18

1/6 x 12

1/6	1/6	1/6	1/6	1/6	1/6
1/6	1/6	1/6	1/6	1/6	1/6
1/6	1/6	1/6	1/6	1/6	1/6

1/6	1/6	1/6	1/6
1/6	1/6	1/6	1/6
1/6	1/6	1/6	1/6



REFRIGERATED PIZZA PREP TABLES

Ideal for restaurants, cafeterias & food processing spaces

Product Code: NPT-092-PI



FEATURES

Front digital controller

Clear plastic 1/3 pans included

19" deep cutting board included

Higher resistance to dust, high quality condenser

Self-closing doors at 60° with stay open feature

Stainless steel interior & exterior, sealed interior floors

Adjustable heavy duty shelves


Temperature Range 0.5 to 5°C



DOUBLE OVERSHELF WITH ADJUSTABLE MIDDLE SHELF

Double overshelf can be used with all prep tables

Product Code: TDOS-XX-SS



REFRIGERATED PIZZA PREP TABLES



NPT-044-PI

Exterior Unit Dimensions

44.75" (w) x 35.5" (d) x 43.75" (h)

Interior Dimensions

27" (w) x 25" (d) x 23" (h)

Capacity

279.77 L & 9.88 CU. FT

Voltage


115 V / 60 Hz

Amperage / Plug Type

2.2 A / NEMA 5- 15P

Pan Capacity

6 x 1/3



NPT-070-PI

Exterior Unit Dimensions

70" (w) x 35.5" (d) x 43.75" (h)

Interior Dimensions

48.5" (w) x 25" (d) x 23" (h)

Capacity

497.81 L & 17.58 CU. FT

Voltage

115 V / 60 Hz

Amperage / Plug Type

2.8 A / NEMA 5- 15P

Pan Capacity

6 x 1/3 + 3 x 1/3



NPT-092-PI

Exterior Unit Dimensions

91.9" (w) x 35.5" (d) x 42.8" (h)

Interior Dimensions

69.4" (w) x 31.5" (d) x 26" (h)

Capacity

684 L & 24.15 CU. FT

Voltage

110 V / 60 Hz

Amperage / Plug Type

8.5 A / NEMA 5- 15P

Pan Capacity

6 x 1/3 + 6 x 1/3

